DEC. 23. 2003 3:51PM 513 241 6234

NO. 7919 P. 6

This listing of claims will replace all prior versions, and listings, of claims in the application:

## In the Claims:

- 1-7. CANCELED.
- 8. (CURRENTLY AMENDED) A patient examination and treatment chair operable to move between a generally upright patient entry/exit position and a reclined patient examination and treatment position, comprising:
  - a chair support;
  - a seat section supported on said chair support;
- a back section mounted for pivotal movement relative to said chair support between a generally upright position and a reclined position; and
- a pair of arm rests rigidly and non-pivotally connected to said back section for movement with said back section between the generally upright position wherein said arm rests are automatically positioned to allow a patient unobstructed entry into or exit from a side of the chair and the reclined position to support the patient for examination and treatment wherein said arms rests are automatically positioned to support the patient's arms.
- CANCELED.

- 10. (ORIGINAL) The chair of claim 8 wherein said back section comprises:
  - a back frame; and
  - a back cushion supported on said back frame.
- 11. (ORIGINAL) The chair of claim 10 wherein said arm rests are integrally formed with said back frame as a unitary structure.
- 12. (ORIGINAL) The chair of claim 11 wherein said back frame and said arms rests comprise a unitary casting.
- 13. (ORIGINAL) The chair of claim 8 further comprising a drive mechanism operatively connected to said back section and operable to pivot said back section relative to said chair support between the generally upright position and the reclined position.
- 14. (ORIGINAL) The chair of claim 8 wherein said chair support comprises:

  a chair base;
  - a lift arm supported on said chair base; and
- a chair support assembly supported on said lift arm and rotatably supporting said back section and said seat section.

## Page 3 of 10

- 15. (ORIGINAL) The chair of claim 15 wherein said support assembly comprises:

  a yoke member supported on said lift arm and pivotally supporting said back section; and
  - a seat support operable to support said seat section.
- 16-18. CANCELED.